

2021 ARGO XTV

BIGFOOT



SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE



MUD DOMINATION AT ITS BEST

If you are ready to rumble at the thickest outdoor mud arenas, you better be riding the 2021 Aurora Bigfoot MX8. The power of the behemoth 950 EFI Big Block™ V-Twin engine matched with the Bigfoot's mudslinging prowess makes for the ultimate weapon in devouring the most challenging mud holes.

This Bigfoot is more than fictional folklore. It's about legendary experiences. The Bigfoot's CVT driven and rock-solid Admiral transmission with APS transfers power to all 8 wheels for straight-line performance and is capable of reaching speeds up to 24 mph • 39km/h on land.

Navigating challenging terrain is made easy with ARGO Progressive Steering (APS) - the revolutionary drive-train that effortlessly maneuvers around obstacles and provides confidence inspiring and smooth predictable turning on dry land.

One look at the Bigfoot 950 MX8 and you'll gain a new level respect. Special 25-inch mud tires mounted to AirLock™ rims allow for the air pressure to be lowered as little as 1.5 psi for the ultimate in grip. Adding to the Bigfoot's 10-inches of ground clearance and rugged demeanor is the Bigfoot's durable all-terrain amphibious body. Constructed of high-density polyethylene the Bigfoot floats over water and glides over stumps with unparalleled stability and control.

When the going gets really tough and a friend needs a helping hand the Bigfoot is equipped with a front brushguard and a Warn 3,500-lb winch powerful enough to rescue them from the gnarliest of holes.

The Aurora 950 Bigfoot MX8 has a 1,025-pound dryland load capacity and comes equipped with a 2-inch rear receiver capable of towing 1,800-pounds. A 7.1-gallon fuel tank also ensures hours of mudslinging fun.

The Aurora Bigfoot 950 MX8 is an 8x8 model built for four passengers and comes in black.

Aurora Bigfoot 950 MX8





All-Terrain Amphibious Body

Evolved and refined from more than 50 years of amphibious vehicle development, the one-piece high-density polyethylene (HDPE) lower body is ARGO's signature design feature. The smooth and durable underbody floats over potential snags, stumps and outcrops as well as wetlands and mud, keeping water hazards out while delivering unparalleled stability and control.



ARGO Low Pressure Mud Tires

The New XT119 25-inch tires on the ARGO Bigfoot is at home when there's mud, dirt and a need for extra traction. Engineered to be highly resistant to damage from cuts, impacts and all kinds of hazards, the large-paddle tires feature a tread design that's tied to the sturdy sidewalls for quick steering response, improved cornering stability, and better propulsion in water. protection. As a system with bead lock rims, they apply just 1.5 psi of ground pressure, dispersing pressure while achieving maximum traction over all surfaces.



Admiral Transmission

Aurora Bigfoot XTV features the premium Admiral transmission, with APS, which employs a sophisticated gearing system and dual differentials on the output shafts so that, when steering, the braking force is applied to a steering differential (rather than the output shafts), translating into smoother and gentler steering. In High range, it steers smoothly and in an arc, similar to a pickup truck. In Low range it operates similar to a traditional skid steer vehicle, offering zero-radius turning. It's capable of reaching speeds of up to 20 mph (32km/h) on land.

Every ARGO transmission is designed and built by its parent company, Ontario Drive & Gear Limited – the world leader in precision gearing and high performance transmissions – to ensure the best reliability, maintainability and smooth, efficient transfer of power to the ground.

Extended Range

Aurora models feature a large 7.1-Gallon (27 litres) fuel tank that provides hours of continuous operation, allowing owners to go the distance.

Load and Towing Capacity

Bigfoot XTV is built to haul and tow the kind of gear that sportsmen and owners demand. The Bigfoot MX8 can tow up to 1,800 pounds (816 kg). Built for four occupants, the land load capacity of the MX8 is 1,025 pounds (465 kg),



Ground Clearance

With 10 inches (254 mm) of ground clearance, ARGO XTVs are built to tackle the roughest terrain.

Quiet Muffler

Our quiet muffler helps reduce radiated noise from the vehicle, making for a more enjoyable ride for passengers and drivers.



Aluminum AirLock Rims

Aurora Bigfoot features premium aluminum AirLock rims that deliver custom style while mechanically locking the tire bead to the rim. With each tire firmly secured to its rim, enables an incredibly low 1.5-psi tire pressure for a smoother, more comfortable ride over rough terrain as well as maximum performance in mud.

Hydraulic Steering Brakes

Every ARGO XTV is equipped with hydraulic steering brakes for powerful, controlled steering in the full range of conditions and terrain. These brakes are activated via the handle bar to control the power output from the transmission to the wheels on either side of the machine.

Dependable 4-Stroke EFI Engine

Aurora Bigfoot XTV is powered by a dependable fan-cooled V-twin 4-stroke gas engine that produces 40 horsepower. It features electronic fuel injection (EFI) for sure starts and automatic air- and temperature-compensation in all climate conditions, including high altitudes.



3500-Pound WARN Winch

Bigfoot come equipped with a 3500-LB WARN Winch for the ultimate in utility, ease-of-use and durability. The winch is conveniently operated via an on-dash actuator. .



Bilge Pump

A built-in bilge pump quickly and effectively evacuates water that enters an ARGO XTV.

950 BIGFOOT



ENGINE

DISPLACEMENT	993 cc
CYLINDER	V-Twin
FUEL SYSTEM	EFI
COOLING	Fan Cooled
ALTERNATOR OUTPUT (MAX)	50 Amps
HP	40HP

STEERING/WHEELS/TIRES

RIMS	Aluminum AirLock
TIRES	XT119 25x12-9
GROUND CLEARANCE - TIRES	10 in [254 mm]
GROUND CLEARANCE - TRACKS	N/A

POWERTRAIN

TRANSMISSION	Admiral w/APS
TRANSMISSION OPTION	ST
DRIVE BELT	Heavy Duty
SERVICE BRAKES	Hydraulic
STEERING BRAKES	Hydraulic
BRAKE COOLING FAN	Accessory

DIMENSIONS/WEIGHT/CAPACITY

LENGTH	126 in [3,200 mm]
WIDTH	60 in [1,524 mm]
HEIGHT	51 in [1,295 mm]
LOAD CAPACITY - LAND	1,025 lb. [465 kg]
LOAD CAPACITY WATER	725 lb. [329 kg]

DIMENSIONS/WEIGHT/CAPACITY - CONTINUED

TOWING CAPACITY	1,800 lb. [816 kg]
SHIPPING WEIGHT	1,480 lb. [671 kg]
FUEL CAPACITY	7.1 US gallons [27 litres]
SEAT CAPACITY	4 Land/4 Water
FRONT RACK	Accessory
SPEED ON LAND (ST)	25 mph [40 km/h]
SPEED ON WATER	3 mph [5 km/h]

FEATURES

BRUSHGUARD	Standard
WINCH	3,500 lb. WARN Winch
SKID PLATE	Standard
BILGE PUMP	Standard
AXLE BEARING EXTENSIONS	Standard
ENTRY STEP	Accessory
OPERATING CONDITIONS	All weather, all terrain, -40°F to +104°F [-40°C to +40°C]

COLORS

AVAILABLE COLORS	Black
------------------	-------

