

CONQUEST



2022 CONQUEST OUTFITTER

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE



Hunters and outfitters alike instill their trust in the equipment and gear required to keep them safe and lead them to success. With decades of research and development, ARGO has perfected the industry leading amphibious extreme terrain vehicle designed for hunters, by hunters. Topping the list of ARGO's recreational product offering is the fully amphibious ARGO Conquest Series Outfitter.

ANSWERING THE CALL OF DESTINY

Designed to flourish in the harshest elements around the globe, the Conquest Outfitter is ready to brave any conditions mother nature throws at you. Powered by the 800 (30HP) V-Twin liquid cooled engine or the 950 (40HP) V-Twin fan cooled engine with electronic fuel injection, the Conquest Outfitter provides the horsepower and torque required by sportsmen and outfitters alike while delivering outstanding fuel efficiency, cleaner exhaust emissions and sharper throttle response in all climate conditions, including high altitudes.

For model year 2022, Argo has focused on maximizing engine torque, acceleration and speed. In pursuit of achieving this goal, Argo's team of engineers has developed the ARGO Instant Torque Drive System (ITDS). The ITDS incorporates the new Argo Instant Torque Clutch (ITC) and is paired with the advanced Admiral transmission. This pairing delivers dramatically improved performance to your XTV that is extremely noticeable the moment you grab the throttle. The ITC works to load the engine maintaining and enhancing peak torque equating in a significant increase in both acceleration and torque. Proven to offer superior performance, the ITDS and ITC alleviate the need for a High Torque (HT) transmission while offering the speed advantages of the Standard Torque (ST) Transmission.

The versatile Admiral transmission delivers progressive power and smooth handling essential for navigating the thickest backwoods while transporting personnel and equipment. Equipped with selectable Hi / Low gearing, the transmission allows the driver to choose between steering smoothly for fast moving ground travel or, Low gear, to benefit from zero-radius turning when navigating tight pathways and unruly terrain.

Prioritizing reliability while minimizing maintenance, the Outfitter comes standard with auto chain lubrication and oil bath hubs. Designed to automatically lubricate the reinforced drive chains after timed intervals of operation, operators obtain the peace of mind they deserve while properly lubricating the machine over extended periods of time. Submerged in oil bath hubs, the Outfitter's axles will receive the proper lubrication and alleviate the need for routine maintenance found on other recreation models. ARGO's impressive ground clearance, incomparable amphibious capability and rugged exterior lets you explore seemingly impassable terrain conventional side by sides only dream about. High-density polyethylene body, skid plates and the heavy-duty welded steel brush-guard and hood rack protect the Outfitter and its passengers from trail hazards and undercarriage damage. Eight aggressive low-pressure tires securely mounted to ARGO's signature AirLock steel offset rims take on unforgiving terrain while also allowing operators to achieve a 30% smoother ride.

The Outfitter's comfort and safety-oriented cockpit comes standard with heated hand-grips for the driver and front passenger, an unobstructed dash with multi-function premium gauge and dual Hi/Low projector beam headlights that provide the highest level of illuminated contrast. Additional enhancements

include a rear dual-entry step that provides easy access to premium seating for four additional passengers with upgraded front and rear seat cushions with large handrails in the rear seating compartment for passengers to hold onto.

The Conquest Outfitter asserts its dominance in the backwoods with its reinforced steel beam exterior construction and large detachable front rack. The brawny Outfitter delivers more than exceptional strength and rugged looks. It boasts the load capacity of 1,170 pounds easily accommodating multiple passengers and their gear. Equipped with the all-new 8.5-gallon (32 liter) fuel tank capacity, the Outfitter positions itself as the ideal vehicle for exploration and expeditions into the unknown. A 4,500-lb WARN winch mounted to the heavy-duty commercial front bumper makes easy work of pulling obstacles from its path and its 2-inch rear receiver lends itself to the Outfitters massive 2,000-lb towing capacity. Offered in the new TrueTimber Prairie camo pattern, the Conquest Outfitter is approved by professional sportsmen around the world.

All-Terrain Amphibious Body:

Evolved and refined from more than 55 years of amphibious vehicle development, the one-piece high-density polyethylene (HDPE) lower body is ARGO's signature design feature. The smooth and durable underbody floats over potential snags, stumps and outcrops as well as wetlands and water courses, keeping water hazards out while delivering unparalleled stability and control.




Admiral Transmission

Conquest Outfitter features the premium Admiral transmission, which employs a sophisticated gearing system and dual differentials on the output shafts. When steering, the braking force is applied to a steering differential (rather than the output shafts), translating into smoother and gentler steering. Every ARGO transmission is designed and built by its parent company, Ontario Drive & Gear Limited – the world leader in precision gearing and high-performance transmissions – to ensure the best reliability, maintainability and smooth, efficient transfer of power to the ground.

New Instant Torque Drive System (ITDS) & Instant Torque Clutch (ITC)

The ARGO Instant Torque Drive System (ITDS) delivers dramatically improved performance by coupling the new ARGO Instant Torque Clutch (ITC) with the versatile Admiral transmission. The Instant Torque Clutch (ITC) loads the engine to maintain peak torque resulting in increased acceleration and enhanced torque. Alleviating the need for a High Torque (HT) transmission while maximizing the appealing capabilities of the Standard Torque (ST) transmission, we have combined acceleration, torque and speed into one package.




Load and Towing Capacity

The Conquest Outfitter XTV is designed and engineered to haul and tow the essential gear that sportsmen and owner's demand. With a superior towing capacity of 2,000 pounds (816 kg) and a load capacity of 1,170 pounds (531 kg) on land and 470 pounds (213 kg) in water, the Conquest Outfitter proves to be the ultimate machine for the most demanding recreational and commercial applications. Compared to other ARGO recreational XTVs, the Outfitter is 6 inches longer, 5 inches wider and 2 inches taller. The two rear side seats are perpendicular to the chassis, allowing ample occupant space along with easily accessed space for loading big game.

New 8.5 Gallon Fuel Tank

New for 2022, the Aurora Conquest Outfitter features a large 8.5-Gallon (32 liter) fuel tank. Optimized for extended run-time, the new digital fuel level is incorporated into the multi-function premium gauge on the dash for increased visibility.



ARGO Low-Pressure Tires

ARGO low-pressure XT119, 25-inch tires are custom engineered with a paddle design for amphibious propulsion through water and optimized for traction on the most extreme off-road terrain. As a system they apply just 1.5 psi of ground pressure, dispersing pressure while achieving maximum traction over all surfaces.

Ground Clearance

With 10 inches (254 mm) of ground clearance, the Conquest Outfitter provides maximum maneuverability in the roughest terrain.



Ground Clearance


With 10 inches (254 mm) of ground clearance, the Conquest Outfitter provides maximum maneuverability in the roughest terrain.

Quiet Muffler

Our quiet muffler helps reduce radiated noise from the vehicle, making for a more enjoyable ride for passengers and drivers alike and especially for hunters, who count on the element of surprise.

Dependable 4-Stroke EFI Engines

The Conquest Outfitter is powered by a dependable V-Twin 4-stroke gas engine. The 800 produces 30HP and is liquid cooled. The 950 is fan cooled and delivers 40HP. Both packages feature electronic fuel injection (EFI) for sure starts and automatic air and temperature compensation in all climate conditions, including high altitudes.



4,500 lb. WARN Winch

The Conquest Outfitter comes standard with a mighty 4,500 lb WARN Winch providing this machine with the highest rated winch available on an XTV. The winch is conveniently operated via an on-dash actuator.



Steel Offset AirLock Rims

The Conquest Outfitter features Steel AirLock rims that mechanically lock the tire bead to the rim. With each tire firmly secured to its rim, an incredibly low 1.5-psi tire pressure provides a smoother, more comfortable ride over rough terrain as well as maximum cornering performance.



Hydraulic Steering Brakes

Every ARGO XTV is equipped with hydraulic steering brakes for powerful, controlled steering in the full range of conditions and terrain. These brakes are activated via the handlebar to control the power output from the transmission to the wheels on either side of the machine.

Dual Rear-Entry Steps

The Conquest Outfitter features dual rear entry steps for convenient ingress and egress through the back end of the machine.



Bilge Pump

Offered as a standard feature on all amphibious ARGO XTVs, the built-in bilge pump quickly and effectively evacuates water that may enter an ARGO XTV.

2022 ARGO XTV

CONQUEST

800 OUTFITTER 8x8



ENGINE

CYLINDER	V-Twin
FUEL SYSTEM	EFI
COOLING	Liquid Cooled
ALTERNATOR OUTPUT (MAX)	60 AMPS
MAX. POWER	30HP

DRIVETRAIN

TRANSMISSION TYPE	Admiral
DRIVE BELT	Heavy Duty
SERVICE BRAKES	Hydraulic
STEERING BRAKES	Hydraulic
BRAKE COOLING FAN	Accessory
AUTO CHAIN LUBRICATION	Standard
SPEED ON LAND	17 mph [27 km/h]
SPEED ON WATER	N/A

DIMENSIONS/WEIGHT

LENGTH	125 in [3,175 mm]
WIDTH	65 in [1,651 mm]
HEIGHT	53 in [1,346 mm]
LOAD CAPACITY - LAND	1,170 lbs [531 kg]
LOAD CAPACITY - WATER	470 lbs [213 kg]
TOWING CAPACITY	2,000 lbs [816 kg]
FUEL TANK CAPACITY	8.5 gal [32 L]
RIDER CAPACITY - LAND	6
RIDER CAPACITY - WATER	2

TIRES & WHEELS

TIRES ARGO	XT119 25 x 12 - 9
WHEEL	Steel AirLock
GROUND CLEARANCE - TIRES	10 in [254mm]
GROUND CLEARANCE - TRACKS	11 in [279 mm]
GROUND PRESSURE - TRACKS	1.06 psi [7.3 kPa]

FEATURES

AXLE BEARING EXTENSIONS	N/A
FRONT RACK	Standard
BRUSHGUARD	Standard
WINCH	4,500 lbs
FULL SKID PLATE	Standard
BILGE PUMP	Standard
ENTRY STEP	Dual Rear
AVAILABLE COLORS	TrueTimber Prairie Camo

