

# 2023 CONQUEST 800 XT-L



**GO**  
ANYWHERE™



GREEN



INDUSTRIAL YELLOW

## HIGHLIGHTS

**Engine:** Versatile KX 800, liquid-cooled v-twin, 4-stroke engine with Electronic Fuel Injection (EFI)

**Transmission:** ODG Admiral transmission

**Drive System:** Instant Torque Drive System (ITDS) with Instant Torque Clutch (ITC)

**Lubrication System:** Auto Chain Lubrication System

**Wheels & Tires:** Steel Airlock™ wheels with 25" mud tires

**Heavy-Duty Oil Bath Axles:** Heavy-duty 1.5" forged axles in oil bath housings

**Commercial Grade:** Heavy-duty front brushguard and 4,500 lb. winch

**Cage:** ROPS with roof and debris screen

# 2023 CONQUEST 800 XT-L



**GO**  
ANYWHERE™

## Engine

The versatile v-twin, 4-stroke KX engine is liquid-cooled and equipped with Electronic Fuel Injection (EFI). Capable and proven for both recreation and commercial applications, the KX delivers consistent and reliable performance in all temperatures and climates.

## Auto Chain Lubrication

Designed to automatically lubricate the reinforced drive chains after timed intervals of operation, operators obtain the peace of mind they deserve while properly lubricating the machine over extended periods of time.

## XT-L Package

Equipped with roll-over protective structure (ROPS), roof, heavy-duty 4,500 lb. winch, commercial brushguard and rear debris screen, the XT-L series is proven to be one of the most capable commercial machines on any jobsite.

## Transmission

The ODG admiral transmission uses a sophisticated gearing system and dual differentials located on the output shafts. The braking force is applied to a steering differential vs. to the output shafts, translating into smoother and gentler steering.

## Oil Bath Axles




Axles and axle bearings can be found in an oil filled maintenance free axle housing where the Outfitter's axles stand the test of time, eliminating the need for routine maintenance.

## ITDS & ITC

The ARGO Instant Torque Drive System (ITDS) delivers dramatically improved performance by coupling the trusted ARGO Instant Torque Clutch (ITC) with the bulletproof Admiral transmission to deliver increased acceleration and enhanced torque.

## Alternator

Commercial grade alternator providing 60 amps of power to run auxiliary lighting and other power-hungry accessories on the job site.





## ENGINE

Cylinder	V-Twin
Fuel System	EFI
Cooling	Liquid Cooled
Alternator Output (max)	60 AMPS

## DRIVETRAIN

Transmission Type	ODG Admiral
Drive Belt	Standard
Service Brakes	Hydraulic
Steering Brakes	Hydraulic
Brake Cooling Fan	Accessory
Auto Chain Lubrication	Standard
Speed on Land	12 mph (19 Km/h)
Speed on Water	N/A

## DIMENSIONS/WEIGHT

Length	125 in (3,175 mm)
Width	65 in (1,651 mm)
Height	80.5 in (2,045 mm)
Weight	2,052 lb. (931 kg)
Load Capacity – Land	1,048 lb. (475 kg)
Load Capacity – Water	Not Amphibious
Towing Capacity	2,000 lb. (907 kg)
Fuel Capacity	8.5 gal (32 L)
Seating Capacity – Land	2
Seating Capacity – Water	N/A

## TIRES & WHEELS

ARGO Tires	ARGO XT1 19 25X12-9
Wheel	Steel Airlock
Ground Clearance – Tires	9 in (228 mm)
Ground Clearance – Tracks	10 in (254 mm)
Ground Pressure - Tracks	1.06 psi (7.3 kPa)

## FEATURES

Front Rack	Accessory
Brushguard	Standard
Winch	4,500 lb.
Full Skid Plate	Standard
Bilge Pump	Standard
Entry Step	Accessory
Axle Bearing Extensions	N/A
ROPS	Standard
Rear Mesh	Standard
Roof	Standard
Stretcher Frame	N/A
Cargo Box	N/A
Power Dump Box	Accessory

## COLORS

Available Colors	Green Industrial Yellow
------------------	----------------------------